

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2541	707/204.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:09
L2	3994	707/101.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:09
L3	6475	707/102.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:09
L4	8	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identifi\$6) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:10
L5	0	I1 and L4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:10
L6	1	I2 and L4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:10

L7	0	I3 and L4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:10
L8	17	((creat\$4 or generat \$4) near2 file) near3 (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2008/07/30 14:11
L9	0	I1 and L8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:11
L10	0	I2 and L8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:11
L11	0	I3 and L8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:11
L12	67	((creat\$4 or generat \$4) near2 file) with (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2008/07/30 14:11
L13	3	I3 and L12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:11
L14	0	I2 and L12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:11
L15	0	I1 and L12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 14:12

S1	55	conver\$4 with document with text with (segments or fields)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 13:48
S2	26	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 14:42
S3	0	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (field near2 value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 14:48
S4	0	(conver\$4 with document with text with (segments or fields)) and @ad < "20031203" and (field with value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 14:48
S5	209	(conver\$4 with document with (segments or fields)) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 14:49
S6	3	(conver\$4 with document with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 14:49
S7	201	(conver\$4 with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 14:53
S8	12	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 14:54

S9	8	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identifi\$6) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 14:55
S10	2	(conver\$4 with (segments or fields) with records) and @ad < "20031203" and (range with (segments or fields) with records) and ((descript\$4 or name or identifi\$6) with (segments or fields)) and (value with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/28 14:55
S11	4	("6104798" or "6643644").pn. or "20030101238"	US-PGPUB; USPAT	OR	OFF	2008/07/28 17:18
S12	1	"6826745".pn.	US-PGPUB; USPAT	OR	OFF	2008/07/29 11:16
S13	1	"20030110090"	US-PGPUB; USPAT	OR	OFF	2008/07/29 13:20
S14	1	"20030110190"	US-PGPUB; USPAT	OR	OFF	2008/07/29 13:20
S15	16	(range\$4 with based with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 16:55
S16	4	(range\$4 near2 based with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 16:55
S17	4	((range\$4 near2 based) with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 16:56

S18	43	(range\$4 with values with (segments or fields) with records) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 17:00
S19	27	(range\$4 with values with (segments or fields) with records) and @ad < "20031203" and ((descript\$4 or name or identifi\$6) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 17:01
S20	16	(range\$4 with values with (segments or fields) with records) and @ad < "20031203" and ((descript\$4 ) with (segments or fields))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 17:11
S25	31	(range\$4 with values with (segments or fields) with descript\$4) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 18:11
S26	2	((range\$4 near2 descript\$4) with (values near2 (segments or fields))) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 18:13
S27	2	((range\$4 near5 descript\$4) with (values near2 (segments or fields))) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 18:14
S28	5	((range\$4 near5 descript\$4) with (values near5 (segments or fields))) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 18:14
S29	290	(range\$4 with descript\$4) and (values near2 (segments or fields)) and @ad < "20031203"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 18:32

S30	2	"20040186817"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/29 22:28
S31	4	"20020171673" or "6104798".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/30 09:00
S32	2	"20020171673" or "6104798".pn.	US-PGPUB; USPAT	OR	OFF	2008/07/30 09:00
S33	98	((creat\$4 or generat \$4) near2 file) with smaller with size	US-PGPUB; USPAT	OR	OFF	2008/07/30 09:08
S34	67	((creat\$4 or generat \$4) near2 file) with (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2008/07/30 09:08
S35	17	((creat\$4 or generat \$4) near2 file) near3 (smaller near2 size)	US-PGPUB; USPAT	OR	OFF	2008/07/30 09:08

7/30/2008 2:12:23 PM

C:\Documents and Settings\klu\My Documents\EAST\Workspaces\10727184a.wsp